

## Skogn Norbright Plus

**End use:** Newspapers, direct mail, free-sheets, directories, supplements, inserts/flyers, magazines, books

The Norbright range offers higher brightness properties and an enhanced printed image compared to newsprint. These products are especially well suited to cold set web offset, although they can also be used for heat set. .

The paper achieves its higher performance characteristics through the use of modern, twin wire paper machines and enhanced thermomechanical pulping processes.

Basic properties	ISO						
Basis Weight	(ISO 536)	(g/m²)	45	48.8	52	55	60
Thickness	(ISO 534)	(μm)	65	70	74	78	85
Density	(ISO 534)	(kg/m3)	690	690	690	690	690
Bulk	(ISO 534)	(cm3/g)	1.4	1.4	1.4	1.4	1.4
Brightness D65	(ISO 2470)	(%)	72	72	72	72	72
L-value D65	(ISO 5631-2)	(D65/10°)	87	87	87	87	87
a-value D65	(ISO 5631-2)	(D65/10°)	0.3	0.3	0.3	0.3	0.3
b-value D65	(ISO 5631-2)	(D65/10°)	-1.0	-1.0	-1.0	-1.0	-1.0
Opacity.	(ISO 2471)	(%)	91.0	92.5	93.0	93.5	94.0

PRODUCT FAMILY: Norbright 62/65/68 FINISH: Matt

PRINTING METHOD:
Cold set web offset / (Heat

PRODUCER: Skogn

set web offset)

Last Updated: April 2017 ISO 9001:2008
ISO 14001:2004
ISO 50001:2011
PEFC Chain of Current
FSC Chain of Current
EU Timber Regulation
EU Ecolabel

Paper Profile 201/

Phone: +47 22 51 20 20

Main fax: +47 22 51 20 21

Norske Skog Skogn is

certified according to: